



Name V1

- Loop Gain Phase 87.7208deg
- Loop Gain dB20 -33.82711adB





DC simulation time: CPU = 4.517 ms, elapsed = 4.52805 ms.

DC simulation time: CPU = 1.303 ms, elapsed = 1.30701 ms.

Poles (Hz)

	Real	Imaginary	Qfactor
1	-2.07411e+03	0.00000e+00	5.00000e-01
2	-3.83157e+04	0.00000e+00	5.00000e-01
3	-3.39667e+05	0.00000e+00	5.00000e-01
4	-9.38228e+05	0.00000e+00	5.00000e-01
5	-1.10639e+06	0.00000e+00	5.00000e-01
6	-1.42867e+06	0.00000e+00	5.00000e-01
7	2.61397e+04	+/- 1.55632e+06	**RHP -2.97734e+01
8	-1.59893e+06	0.00000e+00	5.00000e-01
9	-2.51599e+06	0.00000e+00	5.00000e-01
10	-4.06078e+06	0.00000e+00	5.00000e-01
11	-4.52467e+06	+/- 2.00918e+05	5.00493e-01
12	-7.29000e+06	0.00000e+00	5.00000e-01
13	-7.64309e+06	0.00000e+00	5.00000e-01
14	-9.72724e+06	0.00000e+00	5.00000e-01
15	-1.16284e+07	0.00000e+00	5.00000e-01
16	-1.64646e+07	0.00000e+00	5.00000e-01
17	-3.17942e+07	0.00000e+00	5.00000e-01
18	-3.63458e+07	0.00000e+00	5.00000e-01
19	-4.41775e+07	0.00000e+00	5.00000e-01
20	-5.28531e+07	0.00000e+00	5.00000e-01
21	-6.22109e+07	0.00000e+00	5.00000e-01
22	-7.21835e+07	0.00000e+00	5.00000e-01
23	-8.27069e+07	0.00000e+00	5.00000e-01
24	-9.36995e+07	0.00000e+00	5.00000e-01
25	-1.08182e+08	0.00000e+00	5.00000e-01
26	-1.17163e+08	0.00000e+00	5.00000e-01
27	-1.29095e+08	0.00000e+00	5.00000e-01
28	-1.41154e+08	0.00000e+00	5.00000e-01
29	-1.53071e+08	0.00000e+00	5.00000e-01
30	-1.64459e+08	0.00000e+00	5.00000e-01
31	-4.01021e+08	0.00000e+00	5.00000e-01
32	-3.50840e+09	0.00000e+00	5.00000e-01
33	-6.50358e+10	0.00000e+00	5.00000e-01
34	-9.65884e+10	0.00000e+00	5.00000e-01
35	-6.76050e+11	0.00000e+00	5.00000e-01
36	-8.88548e+11	0.00000e+00	5.00000e-01
37	-8.95436e+11	0.00000e+00	5.00000e-01

Zeros (Hz)